




# Ornamental FENCING

*for Lawns, Parks, Estates,  
Factories and Cemeteries*

*The World's Largest Store*  
SEARS, ROEBUCK AND CO.



# PROTECTION, BEAUTY PLUS Increased Property Value



## Here's the Reason Sears Ornamental Fencing Is a Superior Value . . . . .

¶ No ornamental fencing on the market is superior to that sold by the World's Largest Store. It is manufactured by some of the largest and best-known manufacturers in the country. We guarantee our fencing wire to equal, if not outlast in life, any other fencing wire of the same size when used under equal conditions—an iron-clad guarantee that means absolute satisfaction.

¶ In order to maintain our position as America's leading retailer of fence supplies, we must assure ourselves that our products are leaders. Perfect honesty with every customer, combined with our policy of handling only highest-quality products, has been responsible for Sears commanding position. We offer our quality products at lowest prices because of our enormous purchases and the elimination of middlemen profits.

¶ Sears ornamental wire fencing is made from the best GALVANIZED steel fencing wire available. Do not be misled by high sounding claims for special wire, "Copper-Steel" or "Copper-Bearing" wire. The truth remains that practically all, if not all, steel fencing wire contains a varying amount of copper—a certain amount of copper is in the iron ore as it comes from the ground. Processes which convert the metal into steel wire do not remove this natural copper content; consequently, Sears fencing, the same as others, contains a certain percentage of copper. Neither be misled by wild claims concerning "Double-Galvanizing," "Super-Galvanizing" and such. A standard method of galvanizing is followed by practically every manufacturer. Our wire contains as heavy and perfect a coat of zinc galvanizing as is practical for fencing purposes.

¶ Sears ornamental fencing, then, is nothing less than the best. Highest quality wire is used; drawn and treated to give longest life and greatest satisfaction. U. S. Standard gauge is used in all our wire measurements. We plainly state sizes and weights used. These sizes are as close to actual gauge as it is possible for any mill to draw the wire. On the most modern of looms, this wire is woven into fencing that meets the severest tests of time and use. Safeguard your property with the BEST in ornamental fencing. Sears sell it.

## FENCING PAYS BIG DIVIDENDS

¶ Do not deny yourself the large added dividends that well-fenced property yields. Bankers, appraisers and real-estate men unanimously agree that proper fencing means increased property value. To give their property a "well-groomed," prosperous appearance, wise owners rely on the protection and beauty of high-quality ornamental fence.


¶ Fencing has the relation to your property that locks have to the doors of your home. Fencing is a safeguard against thoughtless trespassers who mar your lawns and animals that trample and destroy your gardens and flowers. It's easier to keep your property looking bright and attractive if you eliminate such needless handicaps. You'll gain the dividends of time, labor and money-saving by doing away with unnecessary work. Ornamental fencing gives the desired privacy without reducing beauty of landscaping or architecture—in fact, often enhancing it considerably.

### Big Selection to Choose From

¶ In this catalog are shown styles of ornamental fencing for various requirements. Whether for home, factory, cemetery, parks or school grounds, we are sure you will find the exact type or design to meet your exact needs at money-saving prices. Look through it thoroughly, compare our quality and prices with those effective by others and you will readily see why Sears have so many thousands of satisfied fence customers.



# CHAIN LINK FENCING



## ... A Very Popular Fence Fabric ... Used Extensively for Lawns, Estates, Cemeteries, Parks, etc.

The ever-increasing popularity of Chain Link fencing is due to the unclimbable close mesh and its long-lived construction. The all-around, general-purpose character of Chain Link makes it one of the most adaptable and efficient fenceings ever devised. The Chain Link weave produces an attractive, protective fence of super strength. Its great strength, as evidenced by its use along highways, makes Chain Link an ideal safeguard for all kinds of public and private properties. For playgrounds, tennis courts, parks, estates and industrial plants it assures the utmost in protection. It has elasticity to withstand sudden, severe shocks. Its graceful weave adds distinctive beauty to properties of all descriptions.

### Furnished in Two Weights

Made from heavy galvanized wire in two weights, the No. 11-gauge meets all ordinary requirements; and the No. 9-gauge for those who require an extra-heavy fence. Stay wires are spiral and run continuously from top to bottom forming an interlocking 2-inch mesh, close enough to turn chickens. Chain Link Walk and Driveway gates listed are filled with No. 11-gauge or No. 9-gauge Chain Link fabric to match fencing. For Complete Ornamental Chain Link Lawn Fencing Outfits, see page 7. NOT PREPAID.



Notice the elastic, interlocking weave. The 2-inch mesh means an unclimbable fence, close enough to turn chickens.

**32CM5395½**—Chain Link Lawn Fence made of 11-Gauge galvanized Wire.  
Height..... 36 inches 42 inches 48 inches 60 inches 72 inches  
Weight, per foot..... 1½ pounds 1¾ pounds 2 pounds 2½ pounds 3 pounds  
Price, per foot.....

For Prices See List in Back of Catalog

**32CM5398½**—Chain Link Lawn Fence made of 9-Gauge galvanized Wire.  
Height..... 36 in. 42 in. 48 in. 60 in. 72 in. 84 in. 96 in. 108 in. 120 in.  
Wt., ft..... 2¼ lbs. 2½ lbs. 3 lbs. 3¾ lbs. 4½ lbs. 5¼ lbs. 6½ lbs. 7 lbs. 7¾ lbs.  
Price, ft.....

For Prices See List in Back of Catalog

**32CM5396½**—Chain Link Lawn Gates (36-in. wide walk gates). Hinges and catch for wood posts furnished. For hinges and catch to fit 2-inch round or angle end, gate or corner posts add 75c extra per gate. When ordering be sure to state which is wanted.

Height..... 36 inches 42 inches 48 inches  
Weight, each..... 20 pounds 22 pounds 24 pounds  
Each.....

For Prices See List in Back of Catalog

**32CM5397½**—Chain Link Single Driveway Gate, 12 feet wide. Height, 51 inches. Weight, 75 pounds. Each..... See Price List in Back of Catalog  
If interested in other sizes of gates for Chain Link, write for prices.

SEE PAGE 4 FOR ORNAMENTAL FENCE POSTS

## ... hundreds more like these—

### "Saved ½"

"I was more than pleased with the fence I bought from you this spring and I can say that I saved more than half on my lawn fence and lawn gate, for I priced all the fence here in town before I ordered. In all my dealings with your firm in the last 20 years, I have never had any regrets and was always satisfied and pleased with each and every purchase of any kind of merchandise."  
Frank L. Beaman.

### "More Than Pleased"

"I was more than pleased with the wire fencing I got from you. I also saved quite a bit. It sure looks like good, strong wire that will give good service. When I was putting up my fence my neighbor happened to stop and wanted to know where I got that heavy wire."  
Mr. W. J. Staab.

### "Saved ⅓"

"I am pleased to say that I am entirely satisfied with my ornamental fence, as it is all and more than I expected."  
Mr. Raymond H. Julien.

"As for price, I saved almost one-third (⅓) on the order by buying it of 'Sears.'"

"Will gladly recommend your fence to anyone at any time."

Addresses Furnished on Request

## You Are Assured LOWEST PRICES AT SEARS

Our customers have found by comparing prices that Sears fencing is priced far below what others ask for similar high quality. Sears have become the World's Largest Store because satisfied customers have always returned, also influencing others to do their buying here.


Still growing, ever expanding, Sears today combines efficient distributing methods with enormous purchasing power to consistently establish the lowest prices on the market. Our prices receive careful investigation at frequent intervals and, whenever business trends permit, reductions in prices are made. You are always assured of lowest prices at Sears, but remember, no matter how great your saving, the quality of your purchase is second to none.

## It's Easy to Splice Chain Link Fencing

Many times it is impossible to ship an entire length of chain link fabric in one roll due to the size or weight of the roll.



A Chain Link fence is very easy to splice. If you find it necessary to splice rolls of this fence, it is done by untwisting the end strand of one roll (same as reversing a corkscrew) bringing the ends of the two rolls together and "corkscrewing" the loose strand back through the end strand of both rolls. Twist up the ends neatly to match other stay wires in the Fence.

This makes a perfect splice. To cut rolls simply take out strand at length desired.





# SILVERBRITE Fencing



## Distinctive Inexpensive

NOTHING adds so much to the appearance of the home, large or small, as a well-selected ornamental fence. SILVERBRITE provides dignified, attractive protection at extremely low cost. Made in two styles, WINDSOR and OAKLAWN, you will find here just the ornamental fencing you have been looking for. At Sears low prices, you will find this the biggest ornamental fence bargain ever offered. You cannot afford to deny your property this added investment—the returns justify the small cost many times over.

### Practical—Attractive

SILVERBRITE ornamental fencing is made of the very best galvanized fencing wire. It is galvanized by a special process which produces a bright wire which will not readily tarnish, but preserves its lustre and resists the ravages of weather and time to a remarkable degree.

SILVERBRITE fencing is built strong. It stretches up easily and remains straight and firm for years when properly erected. Either wood, steel or concrete posts can be used with good success.

*Safe!*

from traffic danger

## YOU GET FULL WEIGHT AND SIZE AT SEARS

### U. S. Standard Gauge

9	○	13	○
10	○	14	○
11	○	14½	○
12	○	15½	○
12½	○	16	○
	○	17	○
	○	18	○

WE use the "U. S. Standard" gauge in all of our wire measurements; the same gauge that is used by all leading American makers of fence wire. We plainly state the sizes of wire used. These sizes are as close to actual gauge as it is possible for

any mill to draw the wire. If we offer No. 12½ wire, we want you to know that it is smaller than No. 12 yet larger than No. 13. Likewise, No. 9½ wire is smaller than No. 9, yet larger than No. 10, and so on.

Notice our listings: We give weights as well as sizes—there is no opportunity for you to be deceived on Sears fencing.

## OAKLAWN Fence

OAKLAWN Fencing is of rigid construction, closely woven, ornamental and durable, yet inexpensive. Not only does it beautify your property but it assures desired privacy against trespassers crossing your lawns or animals molesting flowers and shrubbery. It stretches easily, firm and erect. Made of the very best "Silverbrite" galvanized fencing wire available. The very close mesh at bottom keeps out small marauders.

### Stay Wires Closely Crimped

Upright stays are single, No. 9½-gauge galvanized wire, closely crimped their entire length. Double cable wires are made from No. 13-gauge galvanized wire twisted tightly together and spaced 2½ inches apart at bottom and top, balance spaced 6 inches apart. Single wire pickets at the bottom in the OAKLAWN are spaced 1½ inches apart. This fence sets a high standard of fence value. You can buy it with confidence, knowing that you are protected by our money-back guarantee. Put up in 50, 75 and 100-foot rolls. **Special lengths shipped from factory near Indianapolis, Indiana only. Not Prepaid.**

**32CM5372—OAKLAWN**  
Fencing.

Height, inches. . . 36 42 48  
Weight, per 100  
feet, pounds. . . 160 180 200

**See Price List in Back  
of catalog. Prices do not  
include gates or posts.**



# is Low Cost "Insurance"


## Long-Lived Protection

**Y**OU are doubtless surprised to find that such high-quality ornamental fencing can be secured at such low cost. You will find SILVERBRITE fencing to be low-cost "insurance" against thoughtless trespassers who mar your lawns and shrubbery—the "premium" is low but the "dividends" of protection and beauty are high. It forms a definite boundary to protect your children from speeding automobiles, vicious animals and undesirable companions.

SILVERBRITE will give your property true individuality. It is always in good taste and its thorough, long-lived protection at such low cost makes it a necessity rather than a luxury.


### A Perfect Guardian

Remember, nothing preserves the beauty and attractiveness of your flowers, lawns and trees better than a well-constructed fence, and SILVERBRITE was designed to protect as well as beautify. You can have no better guardian for your property than this strong, durable ornamental fencing.



*Safe!*

in an enclosed yard



## WINDSOR Fence

WINDSOR Fencing is a high-grade, strong, ornamental fence, yet low in price. It differs from our OAKLAWN fencing only in the absence of the extra picket wires. It gives your property true individuality at a very slight investment. Pickets are spaced 3 inches apart, and, if turning of tiny chicks is not an important consideration, this spacing will serve the purpose just as well as our OAKLAWN design.

### A Height for Every Need

Can be furnished in heights from 24 to 60 inches. Made with heavy No. 9½-gauge galvanized upright wires which are closely crimped their entire length to assure more solid support. Double cable wires are made of No. 13-gauge galvanized wires, tightly twisted together, and spaced 6 inches apart from top to bottom, except the two top cables which are spaced 2½ inches apart. Put up in 50-, 75- and 100-foot rolls. **Special lengths shipped from factory near Indianapolis, Indiana only. Not Prepaid.**

#### 32CM5392—WINDSOR Fencing

Height, inches..... 24 30 36 42 48 54 60  
Weight, per 100 ft. pounds... 90 110 120 140 150 170 180

**SEE PRICE LIST IN BACK OF CATALOG.** Prices Do Not Include Gates or Posts.

## YOU CAN BUY FENCING ON EASY MONTHLY TERMS

**I**F you do not have the ready cash now to fence your property, take advantage of Sears extremely liberal easy-payment plan. All that is required to use the easy-payment plan is that your order exceed \$20.00. One order with one small down payment brings you everything you desire in the way of fencing as described in this catalog.

Study this catalog carefully. Make out a list of the fencing and the accessories you need. Simply fill in the time payment order blank enclosed with this catalog and remit the deposit required as shown in the table on price list page. The small monthly payments are conveniently low—you can enjoy the protection and beauty of your fence while you pay for it.




# Ornamental Steel Fence Posts

## Stronger than Wood Posts



Hang your ornamental fence on Sears ornamental steel posts and you will have an attractive, inexpensive fence that will last for years. Steel posts will outlast several sets of wood posts and will save time and labor. Their simple design harmonizes perfectly with any design of lawn fence. Made of first quality steel pipe with heavy attractive top ornament. Painted posts are painted black with high quality asphalt paint. **Not Prepaid.**



### Line Posts

**32CM5480**—Made of 1 $\frac{5}{16}$ -inch, outside diameter, standard pipe.

Total Length of Post	For Fence Up to	Weight, Each	Painted, Each	Galvanized, Each
5 feet	36 inches	10 lbs.	See Price List in back of Catalog	
6 feet	48 inches	12 lbs.		
7 feet	60 inches	13 lbs.		
8 feet	72 inches	15 lbs.		

### End or Gate Posts

**32CM5481**—2 Inches Outside Diameter. Complete with one brace.

Total Length of Post	For Fence Up to	Weight, Each	Painted, Each	Galvanized, Each
5 feet	36 inches	26 lbs.	See Price List in back of Catalog	
6 feet	48 inches	30 lbs.		
7 feet	60 inches	33 lbs.		
8 feet	72 inches	36 lbs.		

### Corner Posts

**32CM5482**—2 Inches Outside Diameter. Complete with 2 braces as illustrated above.

Total Length of Post	For Fence Up to	Weight, Each	Painted, Each	Galvanized, Each
5 feet	36 inches	38 lbs.	See Price List in back of Catalog	
6 feet	48 inches	41 lbs.		
7 feet	60 inches	44 lbs.		
8 feet	72 inches	47 lbs.		

## STEEL GATES Give Lasting Service

### Single Walk Gate




Frame is of one-inch outside diameter steel tubing heavily galvanized and filled with Windsor design ornamental fencing. See notice below. Will give years of satisfactory service. Strong double acting hinges for wood posts and automatic spring latch are included. For gates equipped with hinges and catch for our round steel posts, add 65c extra to price of gate wanted. Prices do not include posts. **State height and width of gate desired. Not Prepaid.**

**32CM5326** $\frac{1}{4}$ —Single Walk Gates.

Width, Feet	Height, Feet	Weight, Lbs.	See Price List in Back of Catalog
3	3	22	
3	3 $\frac{1}{2}$	23	
3	4	24	
3 $\frac{1}{2}$	3	23	
3 $\frac{1}{2}$	3 $\frac{1}{2}$	24	
3 $\frac{1}{2}$	4	25	

### Double Drive Gates

One-inch steel tubing frame, heavily galvanized, filled with Windsor design ornamental fencing. See notice below.



Hinges for wood posts and automatic spring latch furnished so gates can swing both ways. For gates equipped with hinges and catch for our round steel posts add 85c extra to price of gate wanted. The 12-foot size has upright braces of  $\frac{3}{4}$ -inch galvanized steel tubing clamped to frame. Other sizes have no braces and require none. Prices do not include posts. **Width given is distance between posts.**

8-foot gates weigh from 40 to 55 pounds; 10-foot from 45 to 60 pounds; 12-foot from 55 to 80 pounds. Be sure to state height gate desired. Shipped from factory in INDIANA. **Not Prepaid.**

Catalog Number	Description	Height			
		3 Feet	3 $\frac{1}{2}$ Feet	4 Feet	4 $\frac{1}{2}$ Feet
<b>32CM5364</b> $\frac{1}{4}$	8-Foot Gate	See Price List in Back of Catalog			
<b>32CM5365</b> $\frac{1}{4}$	10-Foot Gate				
<b>32CM5366</b> $\frac{1}{4}$	12-Foot Gate				

Notice—When single walk or double drive gates are ordered with Windsor or Oaklawn Lawn Fencing, we will ship gates to match. When gates only are ordered, we ship gate frames filled with Windsor fence unless otherwise stated in order.

### Set of Gate Castings to Fit Round Steel Posts

Consists of two hinge castings and one catch. Weight, 6 pounds.

**32CM5485**

**Not Prepaid. See Price List in Back of Catalog.**



## FENCE POST RATCHETS


For corner, end or gate posts, 2-inch outside diameter. One is necessary for each line wire on each corner, end or gate post. Each line wire is fastened to a bolt, and when the bolt is turned with a wrench, line wires are stretched to desired tautness. A slotted key fits over bolt to keep wire from loosening or slipping. Galvanized or painted. **Not Prepaid.**

Catalog Number and Description	Weight, Each	Price, Painted	Price, Galvanized
<b>32CM5483</b> —Single ratchet for end or gate posts.	4 ounces	See price list in back of catalog.	
<b>32CM5484</b> —Two-way ratchet for corner post.	8 ounces		



# Protect Your Flower Beds and Garden

## Flower Bed Borders




### Beauty as Well as Protection

Our ornamental flower bed border makes an excellent protection for your flower beds against chickens, dogs, etc., and at the same time adds beauty to the beds. Construction same as Windsor Lawn Fencing shown on page 3. Can be erected by simply inserting ends of pickets into the ground.

Put up in 25, 50 and 100-ft. rolls. We do not sell less than full rolls. **Not Prepaid.**

**3 2CM 5 3 9 3**

Height	Weight, 100 Feet	Price, per Foot
22 inches	80 pounds	<b>See price list in back of Catalog.</b>
28 inches	92 pounds	



## Harvard Fence

For lawns, gardens, stock, poultry, dog kennels, or wherever a close mesh fence is required. The diamond shape meshes 2x4½ inches, present a close and effective obstruction to animals, large or small; also make it non-climbable, which is a very desirable feature. The double truss stay wires are wrapped around the line wires and act as braces in every direction, making a firm, solid, smooth and neat appearing fabric. Made of the best galvanized fencing wire the market affords.

Top and bottom wires are No. 10 gauge; line wires, No. 13 gauge; stay wires, No. 16 gauge galvanized steel. Put up in 10-rod rolls. **Shipped from warehouse near CHICAGO, ILL. Not Prepaid.**


**Sizes of Wire** 10 13 16

**3 2CM 5 3 9 0 1/2**—50 inches high. Weight, per 100 rods, 1,350 pounds. Price, per rod. **Not Prepaid. See price list in back.**


**3 2CM 5 3 9 1 1/2**—59 inches high. Weight, per 100 rods, 1,550 pounds. Price, per rod. **Not Prepaid. See price list in back.**

## Beautify and Protect

Your  
Property  
With a  
Sears  
Fence



You'll  
Find the  
Fence You  
Need Here



Go through this catalog carefully. Make out a list of your fencing requirements. Compare Sears quality and prices. We guarantee to satisfy you and save you money.

Satisfied customers by the thousands vouch for the quality and service of Sears fencing. All we ask is a trial. Could anything be fairer?

## SMOOTH GALVANIZED STEEL WIRE

Smooth  
Galvanized  
Steel  
Fencing  
Wire



For fencing purposes, hop yards, berry and grape arbors, lawn and tree guards, brace wires, clothes lines, etc. Smooth finish, heavily-galvanized wire and guaranteed full U.S. Standard gauge. Sold in full coils only.


**3 2CM 5 4 2 1 1/4**—Not Prepaid.

Wire Sizes	Size of Gauge of Wire	No. of Feet to 1 Lb.	Price per 25-Lb.	Price per 100-Lb. Coil
No. 9				
No. 10	No. 9	17 3/4		
No. 12	No. 10	20 3/4		
No. 14	No. 12	34 1/4		
	No. 14	59		

**See price list in back of Catalog.**



# FOR COMPLETE PRIVACY... LINCRAFT



## LINCRAFT WOVEN CEDAR FENCE

Woven by hand from genuine Deep Swamp White Cedar Saplings (young trees) split in half closely spaced together. One of the most beautiful of all rustic fences. Ideal where complete privacy is desired. This fence is supplied with outer bark removed, (as shown in illustration) leaving the inner bark which assumes an attractive nut-brown color under weathering. Does not require paint. Also furnished with bark entirely removed if so desired. Each picket is firmly bound to frame with 12-gauge copper wire. Should last a lifetime.

Furnished in five foot sections, ready to erect. If desired, this fence can be supplied in "Break Down" style instead of the even top as shown in the illustration. Can be erected using ordinary wood posts and 2 by 4-inch railing or if you want the posts and railing to match the fencing, we recommend the rustic posts and railing listed below. **Shipped from factory near Philadelphia, Pa. Not Prepaid.**

32CM8017½		Price per Foot	
Height	Wt., per 5-ft. Sec.	With Inner Bark on	With Bark Entirely Removed
4 Feet	35 Lbs.	<b>See Price List in Back of Catalog</b>	<b>See Price List in Back of Catalog</b>
5 Feet	40 Lbs.		
6 Ft. 6 In.	50 Lbs.		

### Gates to Match

3 feet wide, with inverted arch top, hinges and latch.

32CM8018½—State Height Wanted.		
Height	Weight, Each	Price, Each
4 Feet	90 Lbs.	<b>See Price List in Back of Catalog</b>
5 Feet	115 Lbs.	
6 Feet, 6 Inches	125 Lbs.	

## POSTS AND RAILINGS FOR RUSTIC CEDAR FENCE

These posts and railings are made of Jersey White Cedar to match Lincraft Fence perfectly. The posts come already mortised and rails tenoned for easy erection.

Can be used on both the Woven Cedar and the Indian Cedar Fence. In estimating your needs it should be noted that the posts should be set about 8 feet apart and at least two feet in the ground. Allow 1 post and 2 rails for each 8 lineal feet of fence. **Shipped from factory near Philadelphia, Pa. Not Prepaid.**


32CM8019½—RUSTIC CEDAR POSTS.		<b>See Price List in Back of Catalog</b>
Weight, 20 pounds, 6 ft. lengths for 4 ft. fence .....		
Weight, 25 pounds, 7 ft. lengths for 5 ft. fence .....		
Weight, 35 pounds, 8 ft. lengths for 6 ft. 6 in. fence .....		
32CM8020½—RUSTIC CEDAR RAILINGS.		<b>See Price List in Back of Catalog</b>
8 ft. length. Weight, 20 pounds. Each.....		

## RUSTIC FENCE

HERE is a distinctive fence that is gaining in popularity everywhere on America's best known estates, country and suburban places, etc. The enduring nature of the cedar saplings and its rustic construction lends itself to various types of usages, harmonizing with any surrounding or background. Sturdily built, withstands ravages of time and weather. It insures absolute protection as well as privacy and beauty. No upkeep expense, requires no paint and improves its appearance as time goes by.

Built in sections, it is easily set up and moved from one place to another, adapting itself to any changes in landscaping plans.

BE SURE TO INCLUDE A DIAGRAM OF YOUR PROPERTY TO BE FENCED



## LINCRAFT INDIAN CEDAR FENCE

Similar in appearance to the Woven Cedar Fence except this fence is machine made but extremely sturdy. Put up in 50-foot rolls instead of 5-foot sections. The pickets are made from split cedar poles with the bark on, spaced about ¾ inch apart, and interwoven with four double strands of 12-gauge galvanized wire.

Gives almost the same privacy as the hand-woven type, shown above, with more ventilation and at less expense.

Comes in handy rolls of 50 feet each. Can be erected with ordinary wood posts and 2 by 4-inch railing or the rustic posts and railings listed at left can be used. **Shipped from factory near Philadelphia, Pa. Not Prepaid.**

32CM8014½		
Height	Weight per 50 ft. roll	Price per foot
4 Feet	250 Pounds	<b>See Price List in Back of Catalog</b>
5 Feet	300 Pounds	
6 Feet	400 Pounds	

### Gates to Match

32CM8015½—3 ft. or 3½ ft. wide with latch and hinges. State Height Wanted.

Height	Weight, Each	Price, Each
4 Feet	20 Pounds	<b>See Price List in Back of Catalog</b>
5 Feet	40 Pounds	
6 Feet	50 Pounds	





## CHAIN LINK Complete Ornamental Fence

**POSTS**—End, gate and corner posts are of 2-in. outside diameter steel tubing. Line posts are of 1½-in. outside diameter steel tubing, all hot galvanized. Line posts set 10 feet apart, as near as the space will allow. Set all posts 24 inches in ground. Posts are furnished with top ornaments and all necessary fittings for erecting the fence. Price of fencing includes the necessary line posts. Corner, end and gate posts are extra at prices shown on attached list, in back of book. End, gate and corner posts are furnished with braces when fence without top rail is ordered. All posts should be set in concrete.

**TOP RAILING**—The top railing is made of 1½-in. outside diameter hot-galvanized tubing. The rail runs continuously between the corner, end

and gate posts, passing through the line post clamps, making a very strong and rigid construction.

**FABRIC**—You will find the chain link construction very practical, as it not only makes an attractive lawn fencing but also furnishes complete protection. Strong and durable. Made of all No. 11-gauge steel wire with 2-inch mesh, covered with highest quality galvanizing. Can furnish in No. 9-gauge wire for those who require extra-heavy fence. See price list, in back of book, for additional cost. Heights up to, and including, 48-inch furnished with knuckled top and barbed bottom as illustrated. 60-inch furnished with barbed top and bottom to give additional protection.

**GATES**—We can furnish any size gate wanted, either single or double.

The regular size walk gate is 3 feet wide, and the double driveway gate 10 feet wide. Gate frames are made of hot-galvanized, 2-inch steel tubing for extra strength and long life.

**If you want a special size gate always give the distance wanted between posts** and we will make the gate the correct size to fit the opening. Each gate is provided with double swing hinges and automatic latch. All driveway gates should be double, as large single gates, no matter how well made, will sag in time.

**FITTINGS**—Furnished complete with end bars, end bar clips, aluminum bands and buckles for fastening the fabric to posts, ornamental ball tops, braces, etc., all hot-galvanized.

All gates must first be measured in with the fence and then add 85c per running foot **EXTRA** for the width of each gate required. Add the price of each end post, corner and gate post. All line posts are included in the per foot price of the fence. See inside back cover for full information on how to order.

*Shipped From Factory in Ohio or Central Indiana, From Which Point the Customer Pays the Freight.*

Prices of complete fence include everything required to erect fence, as illustrated, excepting corner, end, gate posts and gates, which must be ordered extra when wanted at prices shown on attached list. Furnished with rail top as illustrated or without.

### Without Top Rail


Catalog No.	Total Height	Wt., per 100 Feet
32CM9540 ½	36 Inches	410 lbs.
32CM9541 ½	42 Inches	475 lbs.
32CM9542 ½	48 Inches	505 lbs.
32CM9543 ½	60 Inches	610 lbs.

### With Top Rail

32CM9550 ½	36 Inches	565 lbs.
32CM9551 ½	42 Inches	630 lbs.
32CM9552 ½	48 Inches	660 lbs.
32CM9553 ½	60 Inches	765 lbs.

All Posts, Gates, Fabric and Fittings Are Hot-Galvanized.

**FOR PRICES  
SEE LIST IN  
BACK OF BOOK**




### Chain Link Fence Built for All Purposes

When desired we will quote on complete jobs of fencing for any property enclosure, including steel posts, gates and necessary fittings. Send diagram of ground plan, showing necessary dimensions, location and opening for gates, position of corner, end and gate posts.

Be sure to include a diagram with your order, showing location of gates, corner and end posts.

**SEARS, ROEBUCK and CO.**





## OAKLAWN Complete Ornamental Fence

A durable, beautiful fence at a low price that has won widespread popularity. You will not find a better made fence of its kind at any price. Furnished complete as shown above, or without braided top finish as shown on opposite page.

The beautifully designed fabric with the extra narrow spacing at the base is practical as well as ornamental. This close spacing of the uprights or pickets keeps out the smallest chickens. Made from the best heavily galvanized fencing wire by experienced fence builders in our own factory. You get the best in quality and construction.

### Construction of Complete OAKLAWN Fencing

**POSTS**—The end, corner and gate posts are made of tubing 2 inches outside diameter and are furnished at the proper length so they can be set 24 inches in the ground. The intermediate or line posts are made of 1½-inch outside diameter steel tubing and are to be set 20 inches in the ground. All posts are furnished with top ornaments and all necessary fittings for erecting the fence. Price of fencing includes the necessary line posts. Corner, end and gate posts are extra at prices shown on Page 3. All posts should be set in concrete. Line posts are set as near 8 feet apart as space will permit.

**TOP RAILING**—The top railing is made of tubing 1½-inch outside diameter. The rail runs continuously between the corner,

end or gate posts, passing **through** the line post clamps, making a very strong and rigid construction.

**FABRIC**—Closely woven, strong, attractive fabric is one of the Oaklawn's biggest points of popularity. Heavy No. 9½ corrugated uprights or pickets are spaced only 1½ inches apart at the bottom, and widen to 3 inches at the top. Double cable line wires are two No. 13 galvanized twisted tightly together and spaced half a foot apart, with the exception of the top and bottom line wires which are spaced 2½ inches apart. Each line wire is attached at one end to a tie ring and at the other to a ratchet, so that it is easy to keep the fabric tightly stretched at all times.

**GATES**—We can furnish any size gate wanted, either single or double. The usual size single walk gate is 3 feet wide and the usual size double driveway gate is 10 feet wide. If you want a special size gate, always give the width of the opening wanted between posts and we will make the gate to fit. All gates are fitted with double swing hinges and positive automatic spring latch. All driveway gates should be made double, as large single gates, no matter how well made, will sag in time.

**CLAMPS AND ORNAMENTS**—All clamps and ornaments are made of strong malleable and cast iron and are included in the cost of the posts. You can fit and adjust them without any fear of breakage.

All gates must first be measured in with the fence and then add 75c per running foot **EXTRA** for the width of each gate required. Add the extra price for each end post, corner post and gate post. All line posts are included in the per foot price of the fence. See inside back cover for full information how to order.

**NOTE**—Be sure and include a diagram with your order showing location of gates and corner and end posts. (See inside back cover.)

*Shipped From Fencing Factory in Central Indiana, From Which Point the Customer Pays the Freight.*

Prices of complete fence include everything required to erect fence as illustrated, excepting corner, end, gate posts and gates, which, when wanted, must be ordered extra at prices shown in back of catalog.

#### Prices of Oaklawn Fence Complete With Plain Rail Top

Catalog No.	Total Height	Wt., per 100 Feet	Per Foot	Add for Each Corner, End or Gate Post
32CM9510½	36 inches	442 lbs.	<b>See Price List in Back of Catalog</b>	
32CM9511½	42 inches	466 lbs.		
32CM9512½	48 inches	493 lbs.		

Heights of fence given above are total heights, including top rail.

#### Prices of Oaklawn Fence Complete With Rail Top and Braided Wire Finish

Catalog No.	Total Ht. to Braided Wire	Wt., per 100 Feet	Per Foot	Add for Corner, End or Gate Posts
32CM9513½	36 inches	420 lbs.	<b>See Price List in Back of Catalog</b>	
32CM9514½	42 inches	462 lbs.		
32CM9515½	48 inches	486 lbs.		


Heights of fence given above are total heights, including braided wire.

Prices shown on Price List are for outfit with rail, posts and gate frames, well painted. If galvanized is wanted, add 7c per foot for fence and 55c for each corner, end or gate post.

Be sure to include a diagram with your order, showing location of gates, corner and end posts.

**SEARS, ROEBUCK and CO.**





## WINDSOR Complete Ornamental Fence

The Windsor design is very popular and is in use by thousands of customers. Practical and durable as well as ornamental. Furnished com-

plete with plain rail top as illustrated above, or with rail top and braided wire finish. (See illustration of Oaklawn Fence on opposite page.)

### Construction of Complete WINDSOR Fencing

**POSTS**—The end, corner and gate posts are made of tubing 2 inches outside diameter and are furnished at the proper length so they can be set 24 inches in the ground. The intermediate or line posts are made of 1½-inch outside diameter steel tubing and are to be set 20 inches in ground. All posts should be set in concrete. Line posts are set as near 8 feet apart as space will permit. All posts are furnished with top ornaments and all necessary fittings for erecting the fence. Prices of fencing include necessary line posts. Corner, end, gate posts and gates are extra at prices shown in back of catalog.

**TOP RAILING**—The top railing is made

of tubing 1½-inch outside diameter. The rail runs continuously between the corner, end or gate posts passing **through** the line posts clamps, making a very strong and rigid construction.

**FABRIC**—The uprights or pickets are No. 9½ galvanized wires closely corrugated their entire length, to add stiffness. The double cable line wires are two No. 13 galvanized wires tightly twisted together, and spaced about 6 inches apart, excepting the two top line wires, which are about 2½ inches apart. This fabric is made with pickets spaced 3 inches apart. We use only the best galvanized fencing wire that money can buy.

**GATES**—Our gates are heavy and well made and are one of the strongest features of our fence. We furnish any size wanted, either single or double. The regular sizes are 3 feet for single walk gates and 10 feet for double driveway gates. When specifying the size of gates always give the width of the opening wanted between the gate posts and we will make the gate the proper size to fit. All gates are equipped with double action hinges and a positive automatic spring latch.

**CLAMPS AND ORNAMENTS**—All clamps, ratchets and other ornaments are made of strong malleable and cast iron and are included in the cost of the posts.

All gates must first be measured in with the fence and then add 75c per running foot extra for the width of each gate required. Add the price of each end post, corner and gate post. All line posts are included in the per foot price of the fence. See inside back cover for full information on how to order.

**NOTE**—Be sure and include a diagram with your order showing location of gates, corner and end posts. (See inside back cover.)

*Shipped From Fencing Factory in Central Indiana, From Which Point the Customer Pays the Freight.*

Prices of complete fence includes everything required to erect fence as illustrated, excepting corner, end, gate posts and gates, which must be ordered extra when wanted at prices shown in back of catalog.

#### Prices of Windsor Fence Complete With Plain Rail Top

Catalog No.	Total Height	Wt., per 100 Feet Fence	Price, per Foot	Add for each Corner, End or Gate Post
32CM9500 ½	36 Inches	397 lbs.	<b>See Price List in Back of Catalog</b>	
32CM9501 ½	42 Inches	423 lbs.		
32CM9502 ½	48 Inches	450 lbs.		
32CM9503 ½	54 Inches	472 lbs.		
32CM9504 ½	60 Inches	498 lbs.		

Heights of fence given above are total heights including top rail.

#### Prices of Windsor Fence Complete With Rail Top and Braided Wire Finish

Catalog No.	Total Ht. to Braided Wire	Wt., per 100 Feet Fence	Price, per Foot	Add for Corner, End or Gate Posts
32CM9505 ½	36 Inches	388 lbs.	<b>See Price List in Back of Catalog</b>	
32CM9506 ½	42 Inches	417 lbs.		
32CM9507 ½	48 Inches	443 lbs.		
32CM9508 ½	54 Inches	469 lbs.		
32CM9509 ½	60 Inches	492 lbs.		

Heights of fence given above are total heights, including braided wire.

Prices shown in back of Catalog are for outfit with rail, post and gate frames, well painted. If galvanized is wanted, add 7c per foot for fence and 55c for each corner, end or gate post.

Be sure to include a diagram with your order, showing location of gates, corner and end posts.

**SEARS, ROEBUCK and CO.**




# WROUGHT STEEL PICKET FENCE


## with features that make it better

The wrought steel picket fences offered in this catalog are made for us by one of the oldest and largest steel working plants in the United States. They have been making fence for over thirty years and most of the improvements and special features found in good steel fencing today are based on ideas first used by them. We have been selling this fence ourselves for a good many years

and have no hesitancy in claiming it to be the equal of any fence made, in quality of material, workmanship and finish, and we guarantee that any fence purchased from us will be exactly as we describe it in this catalog, and that it will, if kept properly painted, give at all times the service which should be expected from it. With ordinary care any of our steel picket fences ought to last a lifetime.



Adjustable Steel Line Post used on all our Steel Picket Fences.



Method of joining the rails of the fence to the line posts. Note the adjustable features.

### Special Care in Painting

All posts and panels of fence are given one coat of special formula black graphite paint before being shipped. This paint is made especially for this purpose and is superior to the common black paint usually used on iron work. After erecting our fence, it may be necessary to go over it and retouch any scratched or marred places due to rough handling in transit, and further, we suggest the repainting of the entire fence every year or two, to protect the metal from the weather. For this purpose be sure to get the best black graphite or asphalt paint you can secure. It pays to use good paint.

### Extra Strong Steel Post Bases

The life of any fence, whether made of wood, wire or steel pickets, depends in a large degree on the substantiality of the posts used. For all our corner, end and gate posts we supply exceptionally strong steel bases for setting in the ground. This gives the posts a strong anchorage and keeps the fence erect and plumb at all times. It is better to fill in the post holes with crushed rock, gravel, or broken bricks, slushed in with cement mortar, but where this cannot be done, a very substantial setting is secured with our posts by simply tamping the dirt in well around the bases.

### Adjustable Center Supports

The center support which we furnish for each full length panel of fence is made with a good ground anchor and is adjustable. The support fits under the center picket of the panel and by means of a wrench can be raised or lowered at will. With an adjustable support every 4 feet, it is impossible for our fence to get out of alignment, if a little attention is given it occasionally. Too many iron and steel fences throughout the country are sadly out of shape from lack of attention, and most of these cannot be straightened because they lack the adjustable features found in our fences.



Center Support with Ground Anchor. This keeps the panels of fence from sagging.

### Adjustable Line Posts

Our adjustable line posts are one of the features of our fence worthy of special note. By means of the adjustable clamp the fence may be straightened at any time without disturbing the foundation. This is a very desirable point, for due to accident or the ravages of time and bad weather, any fence may be forced a little out of alignment, and if the line posts are not adjustable, it is impossible to straighten the fence without resetting the posts.


### Adjustable Rail Lugs

The malleable lugs for attaching the fence rails are also adjustable and may be raised or lowered and are tightly held in the required position by set screws. This makes it easy to line up the panels of fence whether the posts are set exactly the right distance into the ground or not, and is a decided convenience to the workman who is unaccustomed to this kind of work. And if at any time after the fence is set the ground should settle, the rail lugs can be easily raised and the fence kept in proper shape.

Instead of bolting the channel rails of our fence rigidly to the line post lugs, we provide a slotted hole in the ends of the rails. This allows for the natural expansion and contraction of the panels of fence in various seasons of the year and prevents the fence from being forced out of alignment by natural causes.


### Special Designs

We are well equipped to make any kind of special steel fence, gates, entrance arches, railings, gratings, sliding or folding gates, or any kind of ornamental iron or steel work. We invite correspondence on the subject. We can duplicate any plain or ornamental steel fence ever made or we can make new special designs to order. All work is guaranteed to be perfect, and our prices are much lower than usually charged for only ordinary quality.



Full size cross section drawings of the various sizes of pickets used in our Wrought Steel Fence.





## VULCAN Wrought Steel Picket Fence

A thoroughly high grade steel picket fence at a price only a little higher than you would pay for a wooden fence. You can't afford to use anything else, for when you take into consideration the length of life of this fence you will find it the cheapest in the end. We are proud of our line of wrought steel fences and especially so of our Vulcan Fence. It is built in a modern shop by skilled workmen. It is an honest fence at an honest price and one of the best values we have to offer you.

**STEEL PICKETS**—We use nothing but solid steel pickets. They are 25 per cent stronger than iron, and every picket is rigidly calked in the channel rail by a machine of peculiar design so that the panels of fence when completed are almost as strong as though they had been cut out of a single solid piece. By using steel pickets we get strength without spoiling the beauty of the fence by using large clumsy pickets. The pickets are round and spaced 4 inches center to center on all sizes of the Vulcan Fence up to and including the 48-inch size. In the 54 to 72-inch sizes they are spaced 5 inches from center to center. In all sizes the pickets are set 3 inches from the ground.

**WROUGHT STEEL CHANNEL RAILS**—We use only high carbon rolled steel channels instead of angle iron. The channel rails stiffen the panels and prevent any tendency to sag in the middle. In the 30, 37, 42, 48 and 54-inch fence we use  $1\frac{1}{4} \times \frac{1}{2}$ -inch channels, and in the 60 and 72-inch fences  $1\frac{1}{2} \times \frac{1}{2}$ -inch channels. Channel rail also gives the fence a more finished appearance from the inside than the angle rail.

**POSTS**—All corner, end and gate posts for the Vulcan Fence are built up of steel with malleable iron ornaments and fitted with heavy rust resisting steel bases. They are strong and light and very ornamental. The cast iron posts illustrated in connection with our Jupiter or Achilles Fences can be had for the Vulcan also by allowing the difference in price. The line posts are very strongly and neatly made. They are formed from a solid steel bar with a heavy steel plate riveted at the bottom and have an adjustable brace permitting

the fence to be straightened at any time without disturbing the foundation. We use  $\frac{3}{4}$ -inch square stock for the line posts of all except the 54, 60 and 72-inch fences, for which we use 1-inch square bars. A foot support is placed under the center of each panel with anchor plate embedded in the ground. The line posts are spaced as near 8 feet apart as possible, so that with the intermediate foot rests, there is a support every 4 feet, thus making it impossible for the fence to sag.

**GATES**—All Vulcan gates are made of solid wrought steel and are self closing. The top ornament is malleable iron and firmly bolted to the frame. We furnish these gates in any size wanted. The regular walk gates are 3 feet 2 inches wide and the double driveway gates 8 feet 6 inches wide. For single gates either wider or narrower the extra cost is \$2.00; for double driveway gates, other than 8 feet 6 inches wide, the extra cost is \$4.00. The hinges are all double swing and the latch is automatic. In ordering gates always give the width desired between posts and we make the gate the proper size to swing in the opening.

**Note**—We offer the Vulcan Fence for either ground or wall setting at the same price, but always ship the fence made for ground setting unless specially ordered otherwise. If you want to put the fence on a stone, brick or concrete wall, be sure to give us complete information regarding the height and thickness of the wall and whether the gate is to set down into the wall or not. Be sure to say whether wall is already built or not.

*Measure in with the fence all gates and posts required, adding extra for each single walk gate 3 feet 2 inches wide and extra for each double driveway gate 8 feet 6 inches wide, according to price list in back of catalog. Add the price of each corner post, end post and gate post. All line posts included in the per foot price of fence. See inside back cover for full directions for ordering.*

**NOTE**—Every order must be accompanied by a diagram showing location of all gates, corner and end posts. (See inside back cover.) The prices for posts and gates are not the prices for them when sold separately, but are the extra prices to be added after they have been measured in with the fence and charged for as fence.

**Painted Glossy Jet Black and Shipped From the Factory in Ohio, From Which Point the Customer Pays the Freight.**

	Total Height	Round Pickets	Weight, per 100 Feet	Per Foot	Add for Each Corner, End or Gate Post	Add for Single Walk Gate	Add for Double Driveway Gate
32CM8040 $\frac{1}{3}$	39 Inches	$\frac{3}{8}$ Inch	700 lbs.				
32CM8039 $\frac{1}{3}$	37 Inches	$\frac{3}{8}$ Inch	800 lbs.				
32CM8041 $\frac{1}{3}$	37 Inches	$\frac{1}{2}$ Inch	1,000 lbs.				
32CM8042 $\frac{1}{3}$	42 Inches	$\frac{1}{2}$ Inch	1,100 lbs.				
32CM8043 $\frac{1}{3}$	48 Inches	$\frac{1}{2}$ Inch	1,200 lbs.				
32CM8044 $\frac{1}{3}$	54 Inches	$\frac{5}{8}$ Inch	1,700 lbs.				
32CM8045 $\frac{1}{3}$	60 Inches	$\frac{3}{4}$ Inch	2,400 lbs.				
32CM8046 $\frac{1}{3}$	72 Inches	$\frac{3}{4}$ Inch	2,900 lbs.				


Uneven or rising grades of 1 inch or less than 2 inches to the foot, 10 cents per foot extra; graded 2 inches and less than  $2\frac{1}{2}$  inches to the foot, 15 cents per foot extra.

Be sure to state if ground is rising, or level, or uneven, sending us a rough sketch of the ground line. We require about two weeks' time to build and ship Vulcan Wrought Steel Fence.

Be sure to include a diagram with your order, showing location of gates, corner and end posts.

**See Price List in Back of Catalog**





## TITAN Wrought Steel Picket Fence

An extra strong construction, built along the same lines as our Vulcan Fence with the addition of a middle channel rail. This fence is especially suitable for parks, athletic grounds, factory yards or private lawns.

**STEEL PICKETS**—We use solid steel pickets. They are 25 per cent stronger than iron, and every picket is rigidly calked in the channel rail so that the panels of fence when completed are practically as strong as a single solid piece. By using steel we get strength without spoiling the beauty of the fence by using large clumsy pickets. The pickets are round and spaced 4 inches center to center on all sizes of the Titan Fence up to and including the 48-inch size. In the 54 and 72-inch sizes they are placed 5 inches from center to center. In all sizes the pickets are set 3 inches from the ground.

**WROUGHT STEEL CHANNEL RAILS**—We use only high carbon rolled steel channels, instead of angle iron. The channel rails stiffen the panels and prevent any tendency to sag in the middle. In the 30, 37, 42, 48 and 54-inch fences we use  $1\frac{1}{4} \times \frac{1}{2}$ -inch channels, and in the 60 and 72-inch fences  $1\frac{1}{2} \times \frac{1}{2}$ -inch channels. Channel rail also gives the fence a more finished appearance from the inside than does the angle rail.

**POSTS**—All corner, end and gate posts for the Titan Fence are built up of steel with malleable iron ornaments and fitted with heavy rust resisting steel bases. They are strong and light and very ornamental. The cast iron posts, illustrated in connection with our Jupiter and Achilles Fences, can be had for the Titan also by allowing the difference in price. The line posts are very strong and are neat in appearance. They are formed from a solid

steel bar with a heavy steel plate for anchor and have an adjustable brace permitting the fence to be straightened at any time without disturbing the foundation. We use  $\frac{3}{4}$ -inch square stock for the line posts of all except for 54, 60 and 72-inch fences, for which we use 1-inch square bars. The line posts are spaced as near 8 feet apart as possible, so that with the intermediate foot rests there is a support every 4 feet, thus making it impossible for the fence to sag.

**GATES**—All Titan gates are made of solid wrought steel and are self closing. The top ornament is malleable iron and firmly bolted to the frame. We furnish these gates in any size wanted. The regular walk gates are 3 feet 2 inches wide and the double driveway gates 8 feet 6 inches wide. For single gates, either wider or narrower, the extra cost is \$2.00; for double driveway gates, other than 8 feet 6 inches wide, the extra cost is \$4.00. The hinges are all double swing and the latch is automatic. In ordering gates always give the width desired between posts and we make the gate the proper size to swing in the opening.

**Note**—We offer the Titan Fence for either ground or wall setting at the same price, but always ship the fence made for ground setting unless specially ordered otherwise. If you want to put the fence on a stone, brick or concrete wall, be sure to give us complete information regarding the height and thickness of the wall and whether the gate is to set down into the wall or not. Be sure to say whether wall is already built or not.

Measure in with the fence all gates and posts required, adding extra for each single walk gate 3 feet 2 inches wide, and extra for each double driveway gate 8 feet 6 inches wide, according to price list. Add the price of each corner post, end post and gate post. All line posts are included in the per foot price of the fence. See inside back cover for full directions for ordering.

**NOTE**—All orders must be accompanied by a diagram showing location of all gates and corner and end posts. (See inside back cover.) The prices for posts and gates are not the prices for them when sold separately, but are the extra prices to be added after they have been measured in with the fence and charged for as fence.

*Painted Glossy Jet Black and Shipped From Factory in Ohio, From Which Point the Customer Pays the Freight.*

	Total Height	Round Pickets	Weight, per 100 Feet	Per Foot	Add for Each Corner, End or Gate Post	Add for Single Walk Gate	Add for Double Driveway Gate
32CM8050 $\frac{1}{3}$	30 Inches	$\frac{3}{8}$ Inch	800 lbs.				
32CM8049 $\frac{1}{3}$	37 Inches	$\frac{3}{8}$ Inch	900 lbs.				
32CM8051 $\frac{1}{3}$	37 Inches	$\frac{1}{2}$ Inch	1,100 lbs.				
32CM8052 $\frac{1}{3}$	42 Inches	$\frac{1}{2}$ Inch	1,200 lbs.				
32CM8053 $\frac{1}{3}$	48 Inches	$\frac{1}{2}$ Inch	1,300 lbs.				
32CM8054 $\frac{1}{3}$	54 Inches	$\frac{5}{8}$ Inch	1,800 lbs.				
32CM8055 $\frac{1}{3}$	60 Inches	$\frac{3}{4}$ Inch	2,600 lbs.				
32CM8056 $\frac{1}{3}$	72 Inches	$\frac{3}{4}$ Inch	3,000 lbs.				

**See Price List in  
Back of Catalog**


Uneven or rising grades of 1 inch or less than 2 inches to the foot, 10 cents per foot extra; graded 2 inches and less than  $2\frac{1}{2}$  inches to the foot, 15 cents per foot extra.

Be sure to state if ground is rising, or level, or uneven, sending us a rough sketch of the ground line. We require from two to three weeks' time to build and ship Titan Wrought Steel Fence.

Be sure to include a diagram with your order,  
showing location of gates, corner and end posts.

**SEARS, ROEBUCK and CO.**





## AJAX Wrought Steel Picket Fence

A Beautiful Bow-Top Picket Fence That Is a Great Favorite for Lawns and Private Grounds

### STEEL PICKETS—We use only wrought steel for pickets.

It is 25 per cent stronger than iron and it is not necessary to have the pickets as large and clumsy as otherwise would be required. All pickets are calked in the channel rails by special machinery, so that there is no possibility of their coming loose at any time. They are spaced 4 inches from center to center in all sizes up to and including the 48-inch fence. In the 54 and 60-inch heights they are 5 inches from center to center. In all sizes they are set 3 inches from the ground. The spear head picket tops are of malleable iron and firmly fastened on so that they cannot come loose.

**CHANNEL RAILS**—First quality rolled steel channels are used for the rails. These are much stronger than common angle iron and give the fence a finished appearance from both sides. The 30, 37, 42, 48 and 54-inch heights have  $1\frac{1}{4} \times \frac{1}{2}$ -inch rails, and the 60-inch fence  $1\frac{1}{2} \times \frac{1}{2}$ -inch rails.

**POSTS**—The end, corner and gate posts are light and graceful and yet exceedingly strong. The ornamental tops and side decorations are unbreakable castings, and the underground bases are of heavy steel. The line posts are made from a solid steel bar with steel plate riveted at the bottom, and have an adjustable brace permitting the fence to be straightened at any time without disturbing the foundation. We use  $\frac{3}{4}$ -inch square stock for the line posts of all except the 54 and 60-inch fence, for which we use 1 inch square

bars. The line posts are spaced at near 8 feet apart as possible and midway between them we place a foot rest with ground anchor so that the fence really has a support every 4 feet and cannot sag. If wanted, the heavy cast end, corner and gate posts used with the Jupiter and Achilles Fences can be had for the Ajax Fence by allowing the difference in price of the posts.

**GATES**—The gates are all well made and entirely in keeping with the design of the fence. The top ornament is made of malleable iron and firmly bolted to the frame. All gates are self closing and have double swing hinges and a positive automatic latch. We make all sizes of gates, but the regular sizes are 3 feet 2 inches wide between posts for single walk gates and 8 feet 6 inches wide for double driveway gates. If special sizes are wanted, always give the width desired between posts and we will make the gates the right size to fit. There will be an extra charge of \$2.00 for all odd size single gates, and \$4.00 for all double gates either wider or narrower than listed above.

**Note**—We offer the Ajax Fence for either ground or wall setting at the same price, but always ship the fence made for ground setting unless specially ordered otherwise. If you want to put the fence on a stone, brick or concrete wall, be sure to give us complete information regarding the height and thickness of the wall and whether or not the gate is to set down into the wall. Be sure to say whether wall is already built or not.

Measure in with the fence all gates and posts required, adding extra for each single walk gate 3 feet 2 inches wide and extra for each double driveway gate 8 feet 6 inches wide, according to price list. Add the price of each corner post, end post and gate post. All line posts are included in the per foot price of the fence. See inside back cover for full directions for ordering.

**NOTE**—All orders must be accompanied by a diagram showing location of all gates and corner and end posts. (See inside back cover.)

The prices for posts and gates are not the prices for them when sold separately, but are the extra prices to be added after they have been measured in with the fence and charged for as fence.

*Painted Glossy Jet Black and Shipped From the Factory in Ohio, From Which Point the Customer Pays the Freight.*

	Total Height	Round Pickets	Weight, per 100 Feet	Per Foot	Add for Each Corner, End or Gate Post	Add for Single Walk Gate	Add for Double Driveway Gate
32CM8060 $\frac{1}{3}$	30 Inches	$\frac{3}{8}$ Inch	700 lbs.				
32CM8059 $\frac{1}{3}$	37 Inches	$\frac{3}{8}$ Inch	800 lbs.				
32CM8061 $\frac{1}{3}$	37 Inches	$\frac{1}{2}$ Inch	1,000 lbs.				
32CM8062 $\frac{1}{3}$	42 Inches	$\frac{1}{2}$ Inch	1,100 lbs.				
32CM8063 $\frac{1}{3}$	48 Inches	$\frac{1}{2}$ Inch	1,200 lbs.				
32CM8064 $\frac{1}{3}$	54 Inches	$\frac{5}{8}$ Inch	1,800 lbs.				
32CM8065 $\frac{1}{3}$	60 Inches	$\frac{3}{4}$ Inch	2,500 lbs.				

**See Price List in Back of Catalog**


Uneven or rising grades of 1 inch or less than 2 inches to the foot, 10 cents per foot extra; graded 2 inches and less than 2 $\frac{1}{2}$  inches to the foot, 15 cents per foot extra.

Be sure to state if ground is rising, or uneven, or level, sending us a rough sketch of the ground line. We require from two to three weeks' time to build and ship Ajax Wrought Steel Fence.

Be sure to include a diagram with your order, showing location of gates, corner and end posts.

**SEARS, ROEBUCK and CO.**





## ADONIS Wrought Steel Picket Fence

A first class medium priced steel fence that will be an ornament to any property. This is a good heavy fence made of high grade material throughout and we guarantee it to please you in every respect. Wrought steel and iron are used and only expert iron workers are employed in making our Adonis Fence.

**STEEL PICKETS**—We use only wrought steel for pickets. They are 25 per cent stronger than iron and it is not necessary to have the pickets as large and clumsy as otherwise would be required. All pickets are calked in the channel rails by special machinery, so that there is no possibility of their coming loose at any time. The panels of fence are very rigid and almost as strong as a one-piece construction. The pickets are round and spaced 4 inches from center to center in all sizes up to and including the 48-inch fence. In the 54 and 60-inch heights they are 5 inches from center to center. In all sizes they are set 3 inches from the ground. The spear head picket tops are of malleable iron and firmly fastened on so that they cannot come loose.

**CHANNEL RAILS**—First quality rolled steel channels are used for the rails. These are much stronger than common angle iron and give the fence a finished appearance from both sides. The 30, 37, 42, 48 and 54-inch heights have  $1\frac{1}{2} \times \frac{1}{2}$ -inch rails and the 60-inch fences  $1\frac{1}{2} \times \frac{1}{2}$ -inch rails.

**POSTS**—The end, corner and gate posts are light and graceful and yet exceedingly strong. The ornamental tops and side decorations are unbreakable castings, and the underground bases are of heavy steel. The line posts are made from a solid steel bar with steel plate riveted at the bottom and have an adjustable brace permitting the fence to be straightened at any time without disturbing the foundation. We use  $\frac{5}{8}$ -inch square stock for the line posts of all ex-

cept the 54 and 60-inch fence, for which we use 1-inch square bars. The line posts are spaced as near 8 feet apart as possible and midway between them we place a foot rest with ground anchor so that the fence really has a support every 4 feet and cannot sag. If wanted, the heavy cast end, corner and gate posts used with the Jupiter or Achilles Fences can be had for the Adonis Fence by allowing the difference in price of the posts.

**GATES**—The gates are all well made and entirely in keeping with the design of the fence. The top ornament is made of malleable iron and firmly bolted to the frame. All gates are self closing and have double swing hinges and a positive automatic latch. We make all sizes of gates, but the regular sizes are 3 feet 2 inches wide between posts for single walk gates and 8 feet 6 inches wide for double driveway gates. If special sizes are wanted, always give the width desired between posts and we will make the gates the right size to fit. Other sizes, either wider or narrower, would cost \$2.00 extra for single and \$4.00 extra for double gates.

**Note**—We offer the Adonis Fence for either ground or wall setting at the same price, but always ship the fence made for ground setting unless specially ordered otherwise. If you want to put the fence on a stone, brick or concrete wall, be sure to give us complete information regarding the height and thickness of the wall and whether or not the gate is to set down into the wall. Be sure to say whether wall is already built or not.

Measure in with the fence all gates and posts required, adding extra for each single walk gate 3 feet 2 inches wide and extra for each double driveway gate 8 feet 6 inches wide, according to the price list. Add the price of each corner post, end post and gate post. All line posts are included in the per foot price of the fence. See inside back cover for full directions for ordering.

**NOTE**—All orders must be accompanied by a diagram showing location of all gates and corner and end posts. (See inside back cover.) The prices for posts and gates are not the prices for them when sold separately, but are the extra prices to be added after they have been measured in with the fence and charged for as fence.

*Painted Glossy Jet Black and Shipped From the Factory in Ohio, From Which Point the Customer Pays the Freight.*

	Total Height	Round Pickets	Weight, per 100 Feet	Per Foot	Add for Each Corner, End or Gate Post	Add for Single Wall Gate	Add for Double Driveway Gate
32CM8080 $\frac{1}{3}$	30 Inches	$\frac{3}{8}$ Inch	700 lbs.				
32CM8079 $\frac{1}{3}$	37 Inches	$\frac{3}{8}$ Inch	800 lbs.				
32CM8081 $\frac{1}{3}$	37 Inches	$\frac{1}{2}$ Inch	1,000 lbs.				
32CM8082 $\frac{1}{3}$	42 Inches	$\frac{1}{2}$ Inch	1,100 lbs.				
32CM8083 $\frac{1}{3}$	48 Inches	$\frac{1}{2}$ Inch	1,200 lbs.				
32CM8084 $\frac{1}{3}$	54 Inches	$\frac{5}{8}$ Inch	1,700 lbs.				
32CM8085 $\frac{1}{3}$	60 Inches	$\frac{3}{4}$ Inch	2,300 lbs.				

**See Price List in Back of Catalog**


Uneven or rising grades of 1 inch or less than 2 inches to the foot, 10 cents per foot extra; graded 2 inches and less than  $2\frac{1}{2}$  inches to the foot, 15 cents per foot extra.

Be sure to state if ground is rising, or uneven, or level, sending us a rough sketch of the ground line. We require from two to three weeks' time to build and ship Adonis Wrought Steel Fence.

Be sure to include a diagram with your order, showing location of gates, corner and end posts.

**SEARS, ROEBUCK and CO.**





## ACHILLES Wrought Steel Picket Fence

This beautiful design will improve the appearance of any property, no matter how large or elegant. At the prices we quote this fence is a remarkable bargain. Honest material, honest workmanship and honest description make it impossible for you to make a mistake in ordering the Achilles Wrought Steel Fence.

**STEEL PICKETS**—Only high grade wrought steel pickets are used. They are one-fourth stronger than iron and not so clumsy. The pickets are firmly calked in the channel rails by a special machine so that they will not work loose at any time. The pickets are round, spaced 4 inches from center to center and are set 3 inches from the ground. The intermediate ornaments are unbreakable malleable iron and are firmly riveted to the top channel rail. The spear head ornaments are made of unbreakable malleable iron and firmly attached so they will not come off.

**CHANNEL RAIL**—First quality rolled steel channels are used. They are much stronger than the angle iron rails and give the fence a finished appearance from both sides, while the angle iron rails do not. We use  $1\frac{1}{4} \times \frac{1}{2}$ -inch channels altogether on the Achilles Fence.

**POSTS**—The end, corner and gate posts for the Achilles Fence are extra heavy cast iron and very graceful in shape. Heavy steel bases are furnished for underground and we guarantee that the posts will hold the fence firmly in place and in straight alignment for years after other posts have given out. The line posts are made of a solid steel bar with a steel plate riveted at the foot and have an adjustable steel brace permitting the fence to be straightened at any time without disturbing the foundation. We use  $\frac{3}{4}$ -inch square stock for the line posts for all sizes of the Achilles Fence.

Measure in with the fence all gates and posts required, adding extra for each single walk gate 3 feet 2 inches wide and extra for each double driveway gate 8 feet 6 inches wide, if required. Add the price of each corner post, end post and gate post. All line posts are included in the per foot price of the fence. See inside back cover for full directions for ordering.

**NOTE**—All orders must be accompanied by a diagram showing location of all gates and corner and end posts. (See inside back cover.) The prices for posts and gates are not the prices for them when sold separately, but are the extra prices to be added after they have been measured in with the fence and charged for as fence.

*Painted Glossy Jet Black and Shipped From Factory in Ohio, From Which Point the Customer Pays the Freight.*

	Total Height	Round Pickets	Weight, per 100 Feet	Per Foot	Add for Each Corner, End or Gate Post	Add for Single Walk Gate	Add for Double Driveway Gate
32CM9900 $\frac{1}{3}$	30 Inches	$\frac{3}{8}$ Inches	1,000 lbs.				
32CM9899 $\frac{1}{3}$	37 Inches	$\frac{3}{8}$ Inches	1,100 lbs.				
32CM9902 $\frac{1}{3}$	37 Inches	$\frac{1}{2}$ Inches	1,200 lbs.				
32CM9906 $\frac{1}{3}$	42 Inches	$\frac{1}{2}$ Inches	1,250 lbs.				
32CM9910 $\frac{1}{3}$	48 Inches	$\frac{1}{2}$ Inches	1,300 lbs.				

**See Price List in Back of Catalog**

Because of the malleable iron ornament between the pickets, this fence can be built for level grade only. We require from two to three weeks' time to build and ship the Achilles Wrought Steel Fence.


Be sure to include a diagram with your order, showing location of gates, corner and end posts.

**SEARS, ROEBUCK and CO.**



# Methods of Erecting Fence

## Wrought Steel Picket Fence



If the ground is with broken stone earth. Where the method serves very well.

### METHOD No. 2


Considering the recommendation about the same concrete in well as to see that the picket braces are adjusted at any time.



We show here picket fence. If well to wait until wall the line post gate posts. Or ground, but can be. When ordering a wall is already built also tell us whether shown here, or on No. 2 for erecting.

Complete  
setting  
sent u

## Ornamental Fabric Fence



Digitized by:



ASSOCIATION  
FOR  
PRESERVATION  
TECHNOLOGY  
INTERNATIONAL  
[www.apti.org](http://www.apti.org)

BUILDING  
TECHNOLOGY  
HERITAGE  
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>


From the collection of:  
Gerron S. Hite

West Texas Collection, Angelo State University, San Angelo, TX




# Methods of Erecting Fence

## Wrought Steel Picket Fence




**METHOD  
No. 1**

If the ground is firm and dry the post holes can be filled in with broken stones and brickbats and tamped in solidly with earth. Where there is no special strain on the fence this method serves very well. Note the illustration above.



**METHOD  
No. 2**

Considering the very little additional expense, we strongly recommend setting the posts in concrete. Dig the holes about the same size as for Method No. 1, and tamp the concrete in well about the post bases. Care should be taken to see that the posts are plumb before the cement sets. All braces are adjustable, however, and the fence can be straightened at any time.




**METHOD  
No. 3**

We show here a very satisfactory way of setting steel picket fence. If the wall or coping is to be of cement, it is well to wait until the fence arrives and then build into the wall the line posts and the anchor bolts for the corner and gate posts. Ordinarily we furnish braces to go into the ground, but can also make them as shown in the small circle. When ordering steel picket fence always tell us whether the wall is already built or not and give us the height and width; also tell us whether the gate is to be set down into the wall, as shown here, or on top of the wall, as shown above in Method No. 2 for erecting fabric fence.


*Complete, detailed information for setting up our ornamental fencing sent with each shipment of fencing*

## Ornamental Fabric Fence



**METHOD  
No. 1**

A very good method of setting up fencing is shown in the illustration above. Set end, corner and gate posts first. They should be set about 24 inches in concrete making them thoroughly anchored and rigid. Where stretches of fence are longer than 75 feet, we recommend placing an additional end post for about every 50 feet of distance. Hang gate before stretching fence. Set line posts about 8 feet apart. After having the tops and rails in proper position the fence then can be stretched.



**METHOD  
No. 2**

The most substantial and therefore the most satisfactory method of setting is shown in the illustration at the above. The low wall or coping can be built before or after the fence is purchased, but it is easier to set the posts into the wall before the cement hardens. Always tell us whether the gate is to be on top of the wall, as shown here, or to set down into the wall, as shown at left in Method No. 3. In the latter case tell us the height of the wall.

## SEARS FENCING LINE THE MOST COMPLETE IN AMERICA

Farm, poultry and garden fencing can also be purchased at Sears—at the lowest prices in America. Enormous buying power and the most efficient merchandising organization in the world make possible these bargain prices on highest-quality fencing materials.

In addition, Sears fencing line is the most complete in America. If you have a fencing need, Sears can fill it for you. See the new, large, general catalog for detailed description.